

Admiralty Leisure Folio
SC5622 Ireland – South Coast

The Notices to Mariners (NMs) listed below apply to the latest edition of SC5622 (1st Edition) published on 21st September 2006.

Office Correction IRELAND — East Coast— Dungarvan Harbour.

Source: UKHO (14/09/2006)

Chart: SC5622·5 ETRS89 DATUM

Insert depth 0_7	52° 04' ·990N. , 7° 34' ·930W
depth 1_1	52° 03' ·785N. , 7° 34' ·260W
depth 2_3	52° 03' ·570N. , 7° 32' ·955W
depth 3_2	52° 03' ·602N. , 7° 32' ·685W
depth 2_9	52° 03' ·650N. , 7° 32' ·410W

L4467/06 IRELAND — South Coast — Seven Heads Gas Field and Kinsale Head Gas Field South-eastwards — Wells.

Source: Island Oil and Gas plc







Chart: SC5622·1 WGS84 DATUM

Insert	 Well	51° 11' ·3N. , 8° 24' ·8W.
		51° 18' ·7N. , 7° 32' ·7W.

L4865/06 IRELAND — South Coast — Seven Heads Gas Field — Restricted areas.

Source: Ministry for Communications, Marine and Natural Resources, Eire

Chart: SC5622·1 WGS84 DATUM

Insert	circular limit of restricted area,  , radius 926m (0.5M), centred on:	51° 11' ·4N. , 8° 23' ·8W. ()
		51° 12' ·2N. , 8° 21' ·1W. ()
		51° 11' ·7N. , 8° 20' ·1W.
	( Manifold)	
		51° 11' ·3N. , 8° 15' ·4W. ()
		51° 10' ·3N. , 8° 15' ·2W. ()

L5060/06 IRELAND — South Coast — Waterford — River Barrow — Pink Point to Lucy Rock — Coastline.

Source: New Ross Harbour Commissioners

Chart: SC5622-4 (plan A, Passage East to Beacon Quay and Pink Point)

WGS84 DATUM

Insert the accompanying block, showing changes to the coastline,

centred on:

52° 21' ·47N. , 6° 59' ·56W.




Chart: SC5622-4 (plan B, River Barrow to New Ross)

WGS84 DATUM

Insert the accompanying block, showing changes to the coastline,

centred on:

52° 21' ·74N. , 6° 59' ·65W.



L55/07 IRELAND — South Coast — Waterford Harbour — Passage East — Light.

Source: Port of Waterford Company

Chart: SC5622-3 (plan A, Entrance to Waterford Harbour) WGS84 DATUM

Insert

★ FI(2)5s2M

52° 14' ·423N. , 6° 58' ·388W.

Chart: SC5622·4 (plan A, Passage East to Beacon Quay and Pink Point) WGS84 DATUM

Insert  FI(2)5s2M 52° 14' ·423N. , 6° 58' ·388W.

Notices to Mariners - Weekly Edition 02/2007 BRITISH ISLES — Approaches to Saint George's Channel and Bristol Channel — Chart 1123 — New Edition Announcement.

Charts SC5608·2, SC5620·1, SC5622·1, SC5623·1 WGS84 DATUM

Mariners should navigate with caution as the following changes were published in the new edition of chart 1123, which is the source chart for the above folio sheets:

Includes changes to depths, cables, oil and gas information.

These changes will be included in the next new editions of SC5608, SC5620, SC5622 and SC5623.

L861/07 IRELAND — South Coast — Approaches to Waterford Harbour — Hook Head Southwards — Wreck.

Source: Lloyds List

Chart: SC5622·1 WGS84 DATUM


Insert  PA 52° 05' ·10N. , 6° 54' ·30W.

Chart: SC5622·2 WGS84 DATUM

Insert  PA 52° 05' ·08N. , 6° 54' ·25W.

SC10/07 IRELAND — South Coast — Port of Cork — Drying Areas.

Source: E.English (01/03/2007)

Chart: SC5622·11 WGS84 DATUM

Insert *Dries at LW, between* 51°50 ·69N. , 8° 17' ·34 W

51°50 ·69N. , 8° 17' ·00 W

SC11/07 IRELAND — South Coast— Changes to MSI Broadcast times.

Source: Maritime and Coastguard Agency (01/03/2007)

Chart: SC5622 (MARITIME SAFETY INFORMATION, Reverse of front cover) ETRS89 DATUM

Amend *Text to,*

Maritime Safety Information is broadcast by FALMOUTH COASTGUARD at 3 hourly intervals commencing at 0110, by MILFORD HAVEN COASTGUARD and SWANSEA COASTGUARD and HOLYHEAD COASTGUARD at 3 hourly intervals commencing at 0150, by LIVERPOOL COASTGUARD at 3 hourly intervals commencing at 0130 and by BELFAST COASTGUARD at 3 hourly intervals commencing at 0110.





These will include gale warnings, local inshore forecasts and navigational warnings. Mariners should listen to the MSI announcement on VHF

Reverse of front cover

**L1578/07 IRELAND — South Coast — Saltee Islands Southwards — LANBY.
Buoyage. Light-float. Radar beacons. Automatic Identification System.**

Source: Commissioners of Irish Lights Notice 13/06




Chart: SC5622·1 ETRS89 DATUM

Insert	 <i>Q(6)+LFI.15s9M Coningbeg</i>	(a) 52° 03' ·20N. , 6° 38' ·57W.
	 <i>Q(3)10s</i>	(b) 52° 06' ·07N. , 6° 31' ·87W.
	 <i>VQ(9)10s</i>	(c) 52° 05' ·00N. , 6° 41' ·65W.
	radar beacon, <i>Racon (G)</i> , at LANBY	(a) above
	legend, <i>AIS</i> , at LANBY	(a) above
	Automatic Identification System, <i>AIS</i> , at light-buoy	(b) above (c) above
Delete	 <i>F(3)30s24M Horn(3)60s Coningbeg</i> and associated radar beacon, <i>Racon (G)</i>	52° 02' ·40N. , 6° 39' ·45W.

**L3030/07 IRELAND — South Coast — Outer Approaches to Waterford
Harbour — Wrecks.**

Source: Geological Survey of Ireland

Chart: SC5622·2 WGS84 DATUM

Insert	 <i>59 Wk</i>	51° 53' ·89N. , 6° 54' ·99W.
	 <i>54 Wk</i>	51° 56' ·36N. , 7° 12' ·47W.
	 <i>53 Wk</i>	51° 57' ·01N. , 7° 12' ·92W.

**L3305/07 IRELAND — South Coast — Waterford Harbour — Belview Bulk
Terminal North-eastwards — Works.**

Source: Waterford Harbour Commissioners

**Chart: SC5622·4 (plan A, Passage East to Beacon Quay and Pink Point)
WGS84 DATUM**

Insert legend, Works in progress (2007), centred on: 52° 16' ·19N. , 7° 01' ·81W.

**L3640/07 IRELAND — South Coast — Waterford Harbour — River Suir —
Seedes Bank — Buoy.**

Source: Port of Waterford Company Notice 8/07

**Chart: SC5622·4 (plan A, Passage East to Beacon Quay and Pink Point) WGS84
DATUM**

Insert  *F(4)G.6s Seedes Bank South* 52° 14' ·948N. , 6° 59' ·324W.


L4911/07 IRELAND — South Coast — Cork — Lough Beg — Beacon.

Source: Commissioners of Irish Lights

Chart: SC5622·9 ETRS89 DATUM

Insert  51° 49' ·04N. , 8° 18' ·33W.
(outfall)

Chart: SC5622·10 ETRS89 DATUM

Insert  51° 49' ·044N. , 8° 18' ·327W.
(outfall)

L5211/07 IRELAND — South Coast — Youghal — Red Bank — Light-beacon.

Source: Aquatrek Sea Skills

Chart: SC5622·6 WGS84 DATUM

Insert  Fl.Y.5s2M Pontoon 51° 57' ·756N. , 7° 50' ·674W.

L5554/07 IRELAND — South Coast — Approaches to Waterford Harbour — Hook Head Southwards — Wrecks.


Source: MRCC Dublin

Chart: SC5622·1 ETRS89 DATUM

Delete  PA 52° 05' ·0N. , 6° 54' ·2W.

Chart: SC5622·2 OSI DATUM

Delete  30 WK 52° 02' ·7N. , 6° 56' ·9W.

 PA 52° 05' ·1N. , 6° 54' ·3W.

L5981/07 CELTIC SEA — Irish Sector — Seven Heads Gas Field South-westwards — Wreck.

Source: Mr E Giles

Chart: SC5622·1 ETRS89 DATUM

Insert  100 WK 50° 56' ·4N. , 9° 10' ·3W.

L1617/08 IRELAND — South West Coast — Dursey Head to Brow Head and Bantry Bay — Depths. Wreck.

Source: Geological Survey of Ireland

Chart: SC5622·1 ETRS89 DATUM

Insert depth 33 and extend 50m contour SW to enclose 51° 23' ·9N. , 9° 47' ·5W.

L1618/08 IRELAND — South Coast — Old Head of Kinsale South-south-eastwards — Depths.

Source: Marine Institute, Ireland

Chart: SC5622·7 WGS84 DATUM

Insert depth 26_s enclosed by 30m contour (a) 51° 35' ·16N. , 8° 31' ·22W.
Delete depth 37, adjacent to: (a) above

Chart: SC5622·14 WGS84 DATUM

Insert depth 26_s enclosed by 30m contour (a) 51° 35' ·16N. , 8° 31' ·22W.
Delete depth 37, close N of: (a) above

L1619/08 IRELAND — South Coast — Kinsale Head Gas Field South-eastwards & Seven Heads Gas Field South-westwards — Wells.

Source: Island Oil and Gas plc

Chart: SC5622·1 ETRS89 DATUM

Insert  Well 51° 18' ·1N. , 7° 34' ·9W.
 Well 50° 54' ·1N. , 8° 46' ·1W.

L1858/08 IRELAND — South Coast — Port of Cork — Depths.

Source: Port of Cork Company

Chart: SC5622·8 ETRS89 DATUM

Insert depth 4₄ enclosed by 5m contour (a) 51° 47' ·739N. , 8° 15' ·793W.
depth 8₂ and extend 10m contour NW to enclose 51° 47' ·814N. , 8° 15' ·859W.
Substitute depth 11₇ for depth 12₇ 51° 47' ·782N. , 8° 15' ·548W.
Delete depth 5₂, close W of: (a) above

Chart: SC5622·9 ETRS89 DATUM

Insert depth 4₄ enclosed by 5m contour (a) 51° 47' ·74N. , 8° 15' ·79W.
Delete depth 5₂, adjacent to: (a) above

Chart: SC5622·10 ETRS89 DATUM

Insert depth 4₄ enclosed by 5m contour (a) 51° 47' ·739N. , 8° 15' ·793W.
depth 8₂ and extend 10m contour NW to enclose 51° 47' ·814N. , 8° 15' ·859W.
depth 7₂ and extend 10m contour NE to enclose (b) 51° 48' ·320N. , 8° 15' ·981W.
Substitute depth 11₇ for depth 12₇ 51° 47' ·782N. , 8° 15' ·548W.
Delete depth 5₂, close W of: (a) above
depth 9₃, close SW of: (b) above

Chart: SC5622·11 ETRS89 DATUM

Insert depth 0₃ enclosed by 2m contour (a) 51° 50' ·515N. , 8° 18' ·471W.
depth 9₃ enclosed by 10m contour (b) 51° 50' ·334N. , 8° 19' ·519W.

Substitute	depth 5, for depth 9	51° 50' ·559N. , 8° 18' ·391W.
Delete	depth 6, close NE of:	(a) above
	depth 10, adjacent to:	(b) above

L2131/08 IRELAND — South Coast — Oyster Haven — Walton Court — Pontoon. Legends. Slipway.
Source: Irish Cruising Club

Chart: SC5622·14 ETRS89 DATUM

Delete	pontoon, single firm line, joining:	(a) 51° 42' ·10N. , 8° 26' ·55W. 51° 42' ·05N. , 8° 26' ·40W. (shore)
	legend, Slip, close E of:	(a) above

Chart: SC5622·15 ETRS89 DATUM

Delete	pontoon, single firm line, joining:	(a) 51° 42' ·100N. , 8° 26' ·550W. 51° 42' ·050N. , 8° 26' ·417W. (b) 51° 42' ·050N. , 8° 26' ·383W. (shore)
	legend, Under const (2005), close SW of:	(a) above
	legend, Oysterhaven Yacht Harbour, close E of:	(a) above
	slipway, single firm line, joining:	(c) 51° 42' ·068N. , 8° 26' ·398W. (b) above
	legend, Slip, close NE of:	(c) above




L2211/08 IRELAND — South Coast — Nymphe Bank — Wells.
Source: Maritime Safety Directorate, Department of Transport, Ireland & UKHO

Chart: SC5622·1 ETRS89 DATUM

Insert	 Well	51° 35' ·2N. , 6° 55' ·3W.
--------	------------------------------------------------------------------------------------------	----------------------------

L3206/08 IRELAND — South Coast — Port of Cork — Upper Harbour East — East Channel — Light-beacons. Buoyage. Outfall.
Source: ESB International Ltd & Port of Cork Company

Chart: SC5622·13 ETRS89 DATUM

Insert	 Fl.Y.5s	(a) 51° 50' ·224N. , 8° 14' ·397W.
	 Fl.Y.3s	51° 50' ·283N. , 8° 14' ·459W. 51° 50' ·351N. , 8° 14' ·530W.
	 Fl.Y.5s Platform (3)	(b) 51° 50' ·425N. , 8° 14' ·607W.

outfall, -----, joining: (a) above
(b) above

L3502/08 IRELAND — South Coast — Port of Cork — Roches Point South-westwards — Depths.

Source: Marine Institute Ireland

Chart: SC5622·8 ETRS89 DATUM

Insert depth 13₆ enclosed by 15m contour (a) 51° 47' ·101N. , 8° 15' ·799W.

Delete depth 14₂ enclosed by 15m contour, adjacent to: (a) above

Chart: SC5622·9 ETRS89 DATUM

Insert depth 13₆ (a) 51° 47' ·10N. , 8° 15' ·80W.

Delete depth 14₂, adjacent to: (a) above

L3694/08 IRELAND — West Coast — Bantry Bay — Pulleen Harbour Southwards — Depths.

Source: UKHO

Chart: SC5622·1 ETRS89 DATUM

Insert depth 18₉ enclosed by 20m contour (a) 51° 36' ·33N. , 9° 58' ·23W.

Delete depth 20_r, close NE of: (a) above

L4659/08 IRELAND — South Coast — Waterford Harbour — Belview Point to Belview Bulk Terminal and Cheek Point — Dolphin. Outfall. Coastline. Depths. Lights. Buoy.


Source: Port of Waterford

Chart: SC5622·4 (plan A, Passage East Beacon Quay and Pink Point) WGS84 DATUM

Insert the accompanying block, showing new dolphin and outfall and amendments to coastline, depths, lights, buoy, centred on: 52° 15' ·77N. , 7° 02' ·05W.

Amend light to, Fl.R.3s3m3M (a) 52° 16' ·29N. , 6° 59' ·33W.

Delete obscd and Red sector at light (a) above



L4660/08 IRELAND — South Coast — Approaches to Waterford — Hook Head — Legend.

Source: Commissioners of Irish Lights

Chart: SC5622-2 WGS84 DATUM

Insert legend, Fog Det Lt, at light 52° 07' ·42N. , 6° 55' ·76W.

Chart: SC5622-3 (plan A, Entrance to Waterford Harbour) WGS84 DATUM

Insert legend, Fog Det Lt, at light 52° 07' ·42N. , 6° 55' ·76W.

L4662/08 IRELAND — South Coast — Ballycotton Island — Legend.

Source: Commissioners of Irish Lights

Chart: SC5622-2 WGS84 DATUM

Insert legend, Fog Det Lt, at light 51° 49' ·52N. , 7° 59' ·15W.

Chart: SC5622-7 WGS84 DATUM

Insert legend, Fog Det Lt, at light 51° 49' ·52N. , 7° 59' ·14W.

L4663/08 IRELAND — South West Coast — Fastnet Rock — Legend.

Source: Commissioners of Irish Lights

Chart: SC5622-7 WGS84 DATUM

Insert legend, Fog Det Lt, at light 51° 23' ·32N. , 9° 36' ·24W.

L5477/08 IRELAND — South Coast — Old Head of Kinsale — Automatic Identification System.

Source: Commissioners of Irish Lights

Chart: SC5622-1 WGS84 DATUM

Insert Automatic Identification System, AIS, at light: 51° 36' ·3N. , 8° 32' ·0W.

Chart: SC5622-7 WGS84 DATUM

Insert Automatic Identification System, AIS, at light: 51° 36' ·27N. , 8° 32' ·01W.

Chart: SC5622-14 WGS84 DATUM

Insert Automatic Identification System, AIS, at light: 51° 36' ·28N. , 8° 32' ·00W.

L5479/08 IRELAND — South Coast — Approaches to Cork — Daunt Rock South-eastwards — Automatic Identification System.

Source: Commissioners of Irish Lights

Chart: SC5622-1 WGS84 DATUM

Insert Automatic Identification System, AIS, at light-buoy: 51° 42' ·9N. , 8° 15' ·6W.

Chart: SC5622-7 WGS84 DATUM

Insert Automatic Identification System, AIS, at Cork light-buoy: 51° 42' ·90N. , 8° 15' ·59W.

Chart: SC5622-9 WGS84 DATUM

Insert Automatic Identification System, AIS, at Cork light-buoy: 51° 42' ·93N. , 8° 15' ·60W.

L5480/08 IRELAND — East Coast — Approaches to Rosslare Europort — Holdens Bed — Depths.

Source: Commissioners of Irish Lights

Chart: SC5622-1 WGS84 DATUM

Insert depth β enclosed by 5m contour 52° 16' ·9N. , 6° 18' ·2W.

L5893/08 IRELAND — South Coast — Hook Head Southwards — Well.

Source: Providence Resources Plc

Chart: SC5622-1 ETRS89 DATUM

Insert  Well 51° 45' ·2N. , 6° 48' ·2W.


L6710/08 IRELAND — South Coast — Port of Cork — Cobh — Cobh Road — Maritime limit. Depths.

Source: Port of Cork Company

Chart: SC5622-11 ETRS89 DATUM

Insert the accompanying block, showing a new maritime limit and amendments to depths, centred on: 51° 50' ·77N. , 8° 18' ·10W.

Insert

 *F(5)Y.20s*


51° 15' ·0N. , 6° 04' ·9W.

L3685/09 IRELAND — South Coast — Approaches to Port of Cork — Ringabella Bay Eastwards — Buoyage.


Source: Port of Cork Notice 5/09

Chart: SC5622·8 ETRS89 DATUM

Insert

 *OFE1 (Apr-Nov)*


51° 46' ·02N. , 8° 16' ·55W.

 *OFE2 (Apr-Nov)*


51° 46' ·31N. , 8° 14' ·18W.

Chart: SC5622·9 ETRS89 DATUM

Insert

 *OFE1 (Apr-Nov)*

51° 46' ·02N. , 8° 16' ·55W.

 *OFE2 (Apr-Nov)*


51° 46' ·31N. , 8° 14' ·18W.

L4156/09 IRELAND — South Coast — Roches Point South-eastwards and Power Head Southwards — Obstruction. Wrecks.


Source: Geological Survey of Ireland

Chart: SC5622·7 WGS84 DATUM

Insert

 *Obstn*

(a) 51° 44' ·25N. , 8° 10' ·06W.

 *Wk*

(b) 51° 46' ·91N. , 8° 14' ·36W.


Delete

 *Wk*

51° 47' ·62N. , 8° 05' ·25W.

 *PA*, adjacent to:


(a) above

 *Wk*, close NW of:

(b) above


Chart: SC5622·8 ETRS89 DATUM

Insert

 *Wk*

(a) 51° 46' ·913N. , 8° 14' ·355W.


Delete

 *Wk*, close NW of:


(a) above

Chart: SC5622·9 ETRS89 DATUM

Insert


 *Obstn*

(a) 51° 44' ·25N. , 8° 10' ·06W.


 *Wk*

(b) 51° 46' ·91N. , 8° 14' ·36W.

Delete

 *PA*, adjacent to:

(a) above


 *Wk*, close NW of:

(b) above

L4870/09 IRELAND — South Coast — Waterford Harbour — River Barrow — Marshmeadows Oil Jetty South-westwards — Light-beacon. Outfall.

Source: Commissioners of Irish Lights

Chart: SC5622-4 (plan B, Continuation of River Barrow to New Ross) WGS84 DATUM

Insert  Fl.Y.5s (a) 52° 22' .90N. , 6° 57' .73W.
outfall, -----, joining: 52° 22' .89N. , 6° 57' .69W. (shore)
(a) above

L4950/09 IRELAND — South Coast — Old Head of Kinsale to Ballycotton Island — Depths.

Source: Irish Government Surveys

Chart: SC5622-2 WGS84 DATUM

Insert depth 10₁ 51° 48' .66N. , 7° 59' .75W.
depth 14₈ enclosed by 20m contour (a) 51° 46' .30N. , 8° 03' .87W.
Delete depth 17₁, enclosed by 20m contour adjacent to: (a) above

Chart: SC5622-7 WGS84 DATUM

Insert depth 10₁ 51° 48' .66N. , 7° 59' .74W.
depth 14₈ enclosed by 20m contour (a) 51° 46' .30N. , 8° 03' .86W.
depth 12₇ (b) 51° 45' .88N. , 8° 10' .10W.
depth 12₈ (c) 51° 35' .85N. , 8° 31' .88W.
Delete depth 17₁ enclosed by 20m contour, adjacent to: (a) above
depth 14₃, adjacent to: (b) above
depth 16₅, adjacent to: (c) above

Chart: SC5622-9 WGS84 DATUM

Insert depth 12₇ (a) 51° 45' .89N. , 8° 10' .11W.
depth 8₂ and extend 10m contour SW to enclose 51° 46' .58N. , 8° 10' .12W.
depth 9₅ enclosed by 10m contour 51° 46' .88N. , 8° 08' .02W.
depth 7₃ and extend 10m contour SE to enclose 51° 46' .32N. , 8° 07' .77W.
depth 15 (b) 51° 45' .41N. , 8° 14' .21W.
Delete depth 14₃, close W of: (a) above
depth 18₄, close E of: (b) above

Chart: SC5622-14 WGS84 DATUM

Insert depth 9₈ enclosed by 10m contour (a) 51° 40' .50N. , 8° 30' .02W.
depth 12₈ and extend 20m contour SE to enclose 51° 35' .86N. , 8° 31' .88W.
depth 14, adjacent to: (a) above

Chart: SC5622-15 WGS84 DATUM

Insert depth 9_s enclosed by 10m contour

51° 41' ·371N. , 8° 25' ·392W.

Chart: SC5622·16 WGS84 DATUM

Insert depth 9_s enclosed by 10m contour

(a) 51° 40' ·503N. , 8° 30' ·024W.

Delete depth 14, close NW of:

(a) above

L4951(P)/09 IRELAND — South Coast — Old Head of Kinsale to Ballycotton Island — Depths.

Source: Irish Government Surveys

1. Numerous depths less than charted exist in the approaches to Old Kinsale Head to Ballycotton Island. The most significant depths are as follows (WGS84 DATUM):

<i>Depth</i>	<i>Position</i>
12·4m	51° 39' ·437N. , 8° 31' ·015W.
20·7m	51° 35' ·699N. , 8° 31' ·028W.
12·4m	51° 39' ·435N. , 8° 31' ·019W.
13·1m	51° 40' ·072N. , 8° 30' ·365W.
12·1m	51° 40' ·108N. , 8° 29' ·264W.
14·5m	51° 40' ·192N. , 8° 27' ·930W.
14·2m	51° 40' ·235N. , 8° 27' ·185W.
14·4m	51° 40' ·540N. , 8° 26' ·693W.
14·7m	51° 40' ·812N. , 8° 25' ·688W.
17·8m	51° 37' ·333N. , 8° 30' ·753W.
10·8m	51° 41' ·938N. , 8° 23' ·198W.
20·5m	51° 36' ·843N. , 8° 19' ·254W.
17·7m	51° 43' ·494N. , 8° 15' ·804W.
15·2m	51° 44' ·376N. , 8° 15' ·823W.
17·5m	51° 44' ·485N. , 8° 14' ·653W.
15·9m	51° 45' ·487N. , 8° 11' ·263W.
16·1m	51° 45' ·246N. , 8° 10' ·002W.
15·4m	51° 45' ·536N. , 8° 09' ·455W.
9·7m	51° 46' ·320N. , 8° 08' ·209W.
16 m	51° 45' ·056N. , 8° 07' ·712W.

2. These changes will be included in the next New Editions of Charts 1765, 2053, SC5622 and SC5623.

Charts affected: SC5622·9, SC5622·14, SC5622·15, SC5622·16, SC5623·17, SC5623·18.

L6219/09 IRELAND — South Coast — Rosslare Europort Southwards and Carnsore Point Southwards - Approaches to Waterford Harbour - Hook Head — Automatic Identification Systems.

Source: Commissioner of Irish Lights

Chart: SC5622·1 WGS84 DATUM

Insert Automatic Identification System, AIS, at light-buoy

52° 08' ·3N. , 6° 22' ·1W.

legend, AIS, at light

52° 07' ·4N. , 6° 55' ·8W.

Chart: SC5622·2 WGS84 DATUM

Insert Automatic Identification System, AIS, at *Barrels* light-buoy

52° 08' ·36N. , 6° 22' ·06W.

legend, AIS, at light

52° 07' ·4N. , 6° 55' ·8W.

Chart: SC5622·3 (plan A, Entrance to Waterford Harbour) WGS84 DATUM

Insert legend, AIS, at light

52° 07' ·43N. , 6° 55' ·76W.

L6638/09 IRELAND — South Coast — Ringabella Bay — Fish Point Eastwards — Depths.

Source: Geological Survey of Ireland

Chart: SC5622·8 ETRS89 DATUM

Insert depth ζ_5

(a) 51° 46' ·056N. , 8° 17' ·351W.

Delete depth δ_6 , adjacent to:

(a) above

Chart: SC5622·9 ETRS89 DATUM

Insert depth ζ_5

(a) 51° 46' ·06N. , 8° 17' ·35W.

Delete depth δ_6 , adjacent to:

(a) above

Chart: SC5622·14 ETRS89 DATUM

Substitute

depth ζ_5 for depth δ_6

51° 46' ·06N. , 8° 17' ·35W.

L6931/09 IRELAND — South Coast — Approaches to Waterford Harbour — Depths. Light.

Source: Irish Government Survey


Note: This update has been included in a New Edition of Chart 2046 published 24 December 2009.

Chart: SC5622·2 WGS84 DATUM

Insert the accompanying block, showing amendments to

depths and light, centred on:

52° 07' ·42N. , 7° 05' ·05W.



Notices to Mariners - Weekly Edition 53/2009 REPUBLIC OF IRELAND — South Coast, Waterford Harbour — Chart 2046 — New Edition Announcement.

Charts SC5622-3, SC5622-4 WGS84 DATUM

The following changes were published in the new edition of chart 2046, which is the source chart for the above folio sheets:

Includes significant safety related information as follows: changes to depths in the approaches to Waterford Harbour. Mariners should therefore navigate with caution on sheets 5622·3 and 5622·4 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5622.

Notices to Mariners - Weekly Edition 08/2010 REPUBLIC OF IRELAND — South Coast, Kinsale Harbour and Oyster Haven — Chart 2053 — New Edition Announcement.

Charts SC5622·15, SC5622·16, SC5623·17 WGS84 DATUM

The following changes were published in the new edition of chart 2053, which is the source chart for the above folio sheets:

Includes changes to depths from the latest Irish Government Survey and changes to buoyage, lights, Marine Farms and Shellfish Beds. Mariners should therefore navigate with caution on sheets SC5622·15, SC5622·16 and SC5623·17 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5622·15, SC5622·16, SC5623·17.

L1549/10 IRELAND — South Coast — Port of Cork — Upper Harbour East — Aghada Pier — Buoyage.

Source: Port of Cork Company Notice 4/10

Chart: SC5622·13 ETRS89 DATUM

Insert	 <i>Fl.G.5s A1</i>	51° 50' ·811N. , 8° 12' ·608W.
	 <i>Fl(2)G.10s A2</i>	51° 50' ·950N. , 8° 12' ·690W.

L2184/10 IRELAND — South Coast — Knockadoon Head South-eastwards — Wreck.

Source: MRCC Dublin


Chart: SC5622·2 WGS84 DATUM

Insert	 <i>Wk PA</i>	51° 45' ·02N. , 7° 45' ·05W.
--------	--------------------------------------------------------------------------------------------------	------------------------------

L2695/10 IRELAND — South Coast — Port of Cork — Upper Harbour East — East Channel — Restricted area.


Source: Port of Cork

Chart: SC5622·11 ETRS89 DATUM

Insert limit of submarine power cable area, ,
joining:

51° 51' ·530N. , 8° 15' ·868W. (shore)
51° 51' ·351N. , 8° 15' ·723W.
51° 50' ·960N. , 8° 15' ·000W. (border)
and
51° 50' ·850N. , 8° 15' ·000W.
(border)
51° 51' ·310N. , 8° 15' ·835W.
51° 51' ·510N. , 8° 15' ·926W. (shore)

Chart: SC5622·13 ETRS89 DATUM


Insert limit of submarine power cable area, ,
joining:

51° 51' ·800N. , 8° 15' ·600W. (border)
51° 51' ·280N. , 8° 15' ·600W. (border)
51° 50' ·304N. , 8° 13' ·744W. (shore)
and
51° 50' ·285N. , 8° 13' ·986W.
(breakwater)

L2949/10 IRELAND — South Coast — Dungarvan Harbour — Deadman Sand and Whitehouse Bank — Light-beacons.

Source: Bord Iascaigh Mhara

Chart: SC5622·5 WGS84 DATUM

Insert  Fl.Y.5s



52° 04' ·726N. , 7° 35' ·562W.
52° 04' ·692N. , 7° 35' ·325W.
52° 04' ·659N. , 7° 35' ·103W.
52° 04' ·620N. , 7° 34' ·912W.
52° 04' ·374N. , 7° 35' ·104W.
52° 04' ·083N. , 7° 35' ·045W.
52° 03' ·849N. , 7° 34' ·936W.
52° 03' ·612N. , 7° 34' ·692W.
52° 03' ·361N. , 7° 34' ·494W.
52° 03' ·123N. , 7° 34' ·205W.

L3073/10 IRELAND — South Coast — Saltee Islands Southwards — Buoy.

Source: Commissioners of Irish Lights

Note: Radar beacon and Automatic Identification System remain unchanged.

Chart: SC5622-1 ETRS89 DATUM

Substitute  *Q(6)+LFl. 15s Coningbeg*, for  *Q(6)+LFl. 15s9M*
Coningbeg

52° 03' ·2N. , 6° 38' ·5W.

L3312/10 IRELAND — South Coast — Waterford Harbour — Duncannon Bar — Buoy.

Source: Port of Waterford Company

Chart: SC5622-3 (plan A, Entrance to Waterford Harbour) WGS84 DATUM

Insert  *Fl.R.4s No 6* (a) 52° 12' ·42N. , 6° 56' ·41W.

Delete former *No 6* light-buoy, close E of: (a) above
